A EUROPEAN JOURNAL

CHEMPHYSCHEM

OF CHEMICAL PHYSICS AND PHYSICAL CHEMISTRY

ChemPhysChem, European in origin but international in scope,

03/2011



http://www.chemphyschem.org

Full text:

WILEY

ONLINE LIBRARY

wileyonlinelibrary.com

deals with all aspects of the overlapping areas between

chemistry, physics, biology, and materials science. It is co-owned by a group of European chemical societies and published by Wiley-VCH. Contributions in *ChemPhysChem* cover a wide range of topics including atmospheric science, hard and soft matter, femtochemistry, nanoscience, complex biological systems, single-molecule research, clusters, colloids, catalysis, and surface science; experimental and theoretical studies can be published. *ChemPhysChem* publishes short Communications and long Articles, as well as Reviews, Minireviews, Highlights, Concepts, Essays, Book Reviews, and occasionally Conference Reports. Authors can submit manuscripts to *ChemPhysChem* online through our homepage (see left) by clicking on "Online Submission of Manuscripts" and following the simple instructions.

Most of the articles in this issue have already appeared online on wileyonlinelibrary.com. See www.chemphyschem.org under EarlyView®.

EDITORIAL

DOI: 10.1002/cphc.201100041

Theodor Förster: A Giant of Modern Photochemistry

Clemens F. Kaminski,*[a] Erich Sackmann,[b] and Klaus Schulten[c]

The year 2011 marks the centenary of the birth of Theodor Förster, one of the giants of modern photochemistry. This issue is a celebration of Förster's scientific achievements, and equally importantly, the science that has been enabled by his discoveries. His contributions are key to the understanding of important problems in excited-state photochemical reactions and the understanding of organic dyes. His legacy lives on in a diverse range of sciences but, undoubtedly, his most famous contribution concerns his seminal work on the electrostatically mediated energy transfer between proximate sensitiser and acceptor molecules. The process, known today as Förster resonance energy transfer (FRET), is key to a vast range of phenomena occurring in nature, including photosynthesis.

Förster would have been aware of the great impact his science had been making already during his lifetime (see the article by H. E. A. Kramer and P. Fischer on p. 555 in this issue), but he could not have foreseen the scientific superstar status to become associated with him in the life sciences. It is quite pos-

sible, indeed likely, that more biologists are familiar with Förster's name today than are physicists and chemists. Why is this so? FRET has turned out to be perhaps the most important optical technique to uncover molecular processes in biological systems. The reason for this lies in the fortuitous fact that the length scale over which significant FRET occurs corresponds to the size scale of typical macromolecular complexes. Using specific molecular labelling methods and FRET, details of molecular interactions previously invisible can now be uncovered. Coupled with microscopy techniques, this permits information on the function, conformation, and association of macromolecular complexes to be obtained directly from the natural environment in which such reactions are taking place. Much of what we know about the function and dysfunction of proteins, for example, comes from FRET measurements. Remarkably, this information is gained using light of a wavelength about two orders of magnitude larger in scale than that at which these processes take place. Förster is thus the father of modern optical superresolution methods, literally opening our eyes to the Clemens Kaminski obtained his Ph.D. in Physics from the University of Oxford in 1995. He then spent seven years at the University of Lund in Sweden before accepting his current position at the University of Cambridge, where he heads the Laser Analytics Group at the department of Chemical Engineering and Biotechnology. The research focus of his group lies on the development of



modern optical techniques for the study of molecular kinetics in a range of chemical and biological systems. He is director of the CamBridgeSens network and affiliated with the University of Erlangen-Nuremberg, Germany.

Erich Sackmann received his Diploma in Physics in 1961 and did his Ph.D. in Physics 1964 with Professor Theodor Förster from the Technical University of Stuttgart. After two years as Member of Technical Staff at Bell Telephone Laboratories in Murray Hill he worked as research assistant at the Max Planck Institute for Biophysical Chemistry in Göttingen. He did his Habilitation in Physical Chemistry at



the University of Göttingen. In 1974 he became Professor of Physics and head of the Biophysics department at the University of Ulm and from 1980 to 2003 held the chair of Biological Physics at the Physics Department of the Technical University Munich. He currently works as Professor Emeritus at the Technical University Munich and the Ludwig Maximilian University Munich.

processes occurring on the molecular scale. The literature abounds with publications on the application of FRET and their numbers continue to increase at an explosive rate.

Klaus Schulten received his Ph.D. from Harvard University in 1974. He is Swanlund Professor of Physics at the University of Illinois at Urbana-Champaign, directs the NIH Resource for Macromolecular Modeling and Bioinformatics and co-directs the NSF-funded Center for the Physics of Living Cells, both at his university. His professional interests are theoretical physics and theoretical biology. His



current research focuses on quantum biology, on structure and function of supramolecular systems in the living cell and on the development of theoretical descriptions and efficient computing tools for cell biology.

In this issue, Förster's legacy manifests itself in rich variety, ranging from studies of energy transfer in complex molecular systems to the development and application of novel sensors based on the FRET phenomenon. Applications range from studies of individual molecules to clusters containing hundreds of thousands of molecular subunits; from experiments performed in the test tube to studies in living organisms. FRET is used to reveal how proteins assemble into toxic oligomers and Förster's theories form the basis for models of energy transport in complex chromophore systems.

Förster's work was at the crossroads between physics and chemistry. Today, it brings together scientists from numerous disciplines. We believe that the work presented in this issue reflects the great range, diversity and current state-of-the-art in this field. It is proof of Förster's lasting influence and a celebration of his achievements.

Clemens Kaminski Erich Sackmann Klaus Schulten

- [a] Dr. C. F. Kaminski
 Department of Chemical Engineering and Biotechnology
 University of Cambridge
 Pembroke Street, Cambridge CB2 3RA (U.K.)
 Fax: (+44) 1223 334796
 E-mail: cfk23@cam.ac.uk
- [b] Prof. Dr. E. Sackmann E22 Institut für Biophysik Technische Universität München James Frank Straße, Garching (Germany)
- [c] Prof. Dr. K. Schulten Beckman Institute for Advanced Science and Technology University of Illinois at Urbana-Champaign Urbana, Illinois 61801 (USA)